



PORTABLE CRUSHING & SCREENING PLANT



We offer a one-stop service for each MINYU WHEEL-MOUNTED PORTABLE FEEDING-CRUSHING-SCREENING PLANT PRODUCT UNIT covering design, engineering, manufacturing, technical advisory and commissioning either of one particular unit in demand or for an entire crushing and screening plant.



Mondel	Crusher	FEEDER, SCREEN	Total Motor Power Rating [kW]	Throughput [TPH]	Total Unit Weight [KG]
Mini Compact	MS2416/MCC600	MVG924/MOP1542T	164	40-60	38100
MSM3020	MS3020	MVGH824	78	60-90	27300
MSM3624	MS3624	MVGH943	111	90-130	35800
MSM4230	MS4230	MVGH1150	164	180-210	45500
MCM1000	MCC1000	MOP1542T	161	60-90	30600
MCM1150	MCC1150	MOP1848T	221	100-140	39400
MCM1300	MCC1300	MOP1848T	239	120-160	47600
MSPM200	MSP200	MOP1848T	243	170-250	35700
MSPM300	MSP300	MOP1848T	318	190-320	44000
MIMF102/115	MIC102115	MVGH1150	160	75-100	33100
MIMF133/115	MIC133115	MVGH1150	197	120-140	38000
MIM102/115	MIC102115	MOP1848T	160	75-100	35100
MIM133/115	MIC133115	MOP1848T	197	120-140	40000
MVM800	MIV800	MOP1848T	229	35-170	31200
MOM1848T	-	MOP1848T	79	80-120	22500
MOM2160T	-	MOP2160T	105	80-120	24900

Attention: Each of the specified capacities is the maximum possible capacity in continuous, normal unit run and plant operation within which satisfactory plant configuration & engineering, unit installation & set-up are professionally conducted & completed, and continuously under ideal working conditions, which include but are not limited to acceptable raw feed quality & consistent, balanced & regulated feed condition per general production requirement, among other sets of normal operational conditions, be well established & maintained at all times. In reality, actual production capacities vary relative to changes in multiple site, plant & environmental conditions & parameters. MINYU does not in any way guarantee any capacity or production result without an additional, separate, clearly defined & specifically written consent, particular to any site plant or installation as clearly identified, defined & specified.





Controller

MSM Series




MCM Series




Quality-Service-Friendship

Each of the MINYU wheel-mounted portable crushing and screening plant products is an advanced, automated and highly integral crushing plant production unit, either or combination of vibrating feeder, jaw crusher, cone crusher, vibrating screen, and belt conveyor which comes standard with a feed bin-hopper, discharge bin-hopper, distributor and a very user-friendly, electrical control cabinet.

The crushing and screening plant is available in either of mobile, portable and skid-mounted configurations, with a capacity of 50-350 tons per hour, and final products of 0-70mm. Limited variation to our standardized designs according to well defined, engineering sets of customer requirements may be made available, provided all product structural and functional merits be properly conversed. The MINYU wheel-mounted portable plants are widely deployed in the global mining, construction, water conservancy, metallurgy, material recycling and many other industries all over the world.



Minyu Machinery Corp., Ltd.



The MINYU line of portable crushing and screening plants is backed by decades of direct, innovative and richly field-experienced product design and engineering capabilities, manifested in its highly advanced, user-friendly and integral product features as well as the most field-proven automated, hydraulic and control technologies commercially available.

Sensitive to topographical differences and environmental changes as well as manpower and resource constraints, each MINYU portable crushing plant unit is generally constructed with a pragmatic view to the ease of overall plant set-up, configuration flexibility, clear feed & product discharge, minimum energy consumption, minimum industrial pollution, and short maintenance & service down time.

Moreover, each MINYU portable unit comes standard with advanced electrical panel control system to ensure overall fast, safe, and stable conditions be maintained throughout the whole working process.



Minyu Machinery Corp., Ltd.

Telephone: +886-2-8751-2022

Fax: +886-2-8751-2051

E-Mail: office@minyu.com

Address: 4F., No.431, Ruiguang Rd., Neihsu Dist., Taipei City 11492, Taiwan.